# HC-B 16-AML - Housing



https://www.phoenixcontact.com/us/products/1771590



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON B16 panel mounting base, with single locking latch, height: 29 mm, with flat gasket

## Commercial data

Item number	1771590
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAC
Catalog page	Page 512 (C-4-2013)
GTIN	4017918036317
Weight per piece (including packing)	115.1 g
Weight per piece (excluding packing)	115.1 g
Customs tariff number	85389099
Country of origin	DE

# HC-B 16-AML - Housing



https://www.phoenixcontact.com/us/products/1771590



## Technical data

#### Notes

General	For contact inserts HC-B16, BB32, BBB40, D40, DD72, HS6, M,
	K

## Product properties

Туре	B16
Product type	Housing with locking latch
Application	Standard
Housing type	Panel mounting base
Shielded	no
Pg screw connection	none

#### **Dimensions**

Dimensional drawing	24.5
Width	43 mm
Height	29 mm
Length	114 mm
Installation dimensions	
Width of the assembly cutout	35 mm
Length of the assembly cutout	86 mm

## Material specifications

Seal material	NBR
	CR
Housing surface material	Powder-coated, gray
Locking latch material	Stainless steel, handle: PA
Housing material	die-cast aluminum

## Mechanical properties

#### Mechanical data

Locking type	Latch
--------------	-------

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65 (When plugged in)
Ambient temperature (operation)	-40 °C 125 °C

# HC-B 16-AML - Housing

1771590

https://www.phoenixcontact.com/us/products/1771590



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com