

HC-B 16-SMQ-67/M2PG21 - Housing



1771639

<https://www.phoenixcontact.com/us/products/1771639>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Box mounting base, with double locking latch, height 67 mm, with screw connection, 2x Pg21

Commercial data

Item number	1771639
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAC
Catalog page	Page 580 (PC-2011)
GTIN	4017918036355
Weight per piece (including packing)	382.685 g
Weight per piece (excluding packing)	300 g
Customs tariff number	85389099
Country of origin	DE

HC-B 16-SMQ-67/M2PG21 - Housing



1771639

<https://www.phoenixcontact.com/us/products/1771639>

Technical data


Notes

General	For contact inserts HC-B16, BB32, BBB40, D40, DD72, HS6, M, K
---------	---

Product properties

Product type	Housing with locking latch
Housing type	Box mounting bases
Application	Standard
Type	B16
No. of cable outlets	2
Type of the screw connection	2x Pg21
Shielded	no
Cable outlet	lateral
Pg screw connection	with

Dimensions

Dimensional drawing	
Width	57 mm
Height	67 mm
Length	117 mm
Wrench size, union nut	28 mm

Material specifications

Material Screw connection	Brass, nickel-plated
Seal material Cable seal	NBR
Housing material	die-cast aluminum
Housing surface material	Powder-coated, gray
Locking latch material	Stainless steel, handle: PA

Mechanical properties

Mechanical data

Type of the screw connection	2x Pg21
Locking type	Latch

Cable/line

External cable diameter Cable 1	10 mm ... 19 mm (Cable 1)
External cable diameter Cable 2	10 mm ... 19 mm (Cable 2)

HC-B 16-SMQ-67/M2PG21 - Housing



1771639

<https://www.phoenixcontact.com/us/products/1771639>

Connection data

External cable diameter	10 mm ... 19 mm (Cable 1)
-------------------------	---------------------------

Environmental and real-life conditions

Ambient conditions	
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C

HC-B 16-SMQ-67/M2PG21 - Housing


1771639

<https://www.phoenixcontact.com/us/products/1771639>



Drawings

Dimensional drawing



Dimensional drawing

HC-B 16-SMQ-67/M2PG21 - Housing



1771639

<https://www.phoenixcontact.com/us/products/1771639>

Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-13.0	27440202

UNSPSC

UNSPSC 21.0	31261501
-------------	----------

Environmental product compliance

China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com