## HC-D 25-AML - Housing

#### 1772463

https://www.phoenixcontact.com/us/products/1772463



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON panel mounting base D25, with single locking latch, height 26 mm

### Commercial data

Item number	1772463
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAE
Catalog page	Page 509 (C-4-2015)
GTIN	4017918037130
Weight per piece (including packing)	162.5 g
Weight per piece (excluding packing)	96.9 g
Customs tariff number	85389099
Country of origin	DE

# HC-D 25-AML - Housing

1772463

https://www.phoenixcontact.com/us/products/1772463



### Technical data

#### Notes

	General	For contact inserts HC-D25, A16		
Product properties				
	Туре	D25		
	Product type	Housing with locking latch		
	Application	Standard		
	Housing type	Panel mounting base		
	Shielded	no		
	Pg screw connection	none		

#### Dimensions

Dimensional drawing	
Width	30.5 mm
Height	26 mm
Length	96 mm
Installation dimensions	
Width of the assembly cutout	24 mm
Length of the assembly cutout	74 mm
laterial specifications	
Seal material	CR
Llousing ourfood motorial	Douglas asstad arou

Housing surface material	Powder-coated, gray
Locking latch material	Steel, galvanized
Housing material	die-cast aluminum

### Mechanical properties

I	Mechanical data	
	Locking type	Latch

#### Mounting

Assembly instructions	The flat gasket is supplied closed. The required opening is not
	created until the assembly stage.

#### Environmental and real-life conditions

Ambient conditions

Degree of protection

IP65

## HC-D 25-AML - Housing

1772463

https://www.phoenixcontact.com/us/products/1772463



Ambient temperature (operation)

-40 °C ... 125 °C

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com