

1775790

https://www.phoenixcontact.com/us/products/1775790

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Sleeve housing, for double locking latch, height 76 mm, with screw connection, 1x Pg29, lateral cable entry

Commercial data

Item number	1775790
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAE
Catalog page	Page 426 (C-4-2013)
GTIN	4017918038342
Weight per piece (including packing)	345.16 g
Weight per piece (excluding packing)	345.16 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/us/products/1775790



Technical data

Notes

General	For contact inserts HC-D25, A16/A32
Product proportion	

Product properties

Туре	D50
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Type of the screw connection	1x Pg29
Housing type	Sleeve housing
Shielded	no
Cable outlet	lateral
Pg screw connection	with

Dimensions

Dimensional drawing	82
Width	56 mm
Height	76 mm
Length	82 mm
Wrench size, union nut	37 mm

Material specifications

Material Screw connection	Brass, nickel-plated
Seal material Cable seal	NBR
Housing surface material	Powder-coated, gray
Housing material	die-cast aluminum

Mechanical properties

Mechanical data

Type of the screw connection	1x Pg29
Locking type	Pin

Cable/line

External cable diameter (Cable 1)	18 mm 27 mm

Environmental and real-life conditions

Ambient conditions



1775790

https://www.phoenixcontact.com/us/products/1775790

Degree of protection	IP65
Ambient temperature (operation)	-40 °C 125 °C





https://www.phoenixcontact.com/us/products/1775790



Drawings

Dimensional drawing





Dimensional drawing



1775790

https://www.phoenixcontact.com/us/products/1775790

Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-13.0	27440202



https://www.phoenixcontact.com/us/products/1775790



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com