

PTPM 0,2/ 5-P-2,5 PA CAT5 - Plug

1811161

<https://www.phoenixcontact.com/gb/products/1811161>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Commercial data

Item number	1811161
Packing unit	100 pc
Minimum order quantity	1 pc
Product key	AAA1CK
Catalog page	Page 57 (C-1-2013)
GTIN	4046356709101
Weight per piece (including packing)	2.364 g
Weight per piece (excluding packing)	2.22 g
Country of origin	US

PTPM 0,2/ 5-P-2,5 PA CAT5 - Plug

1811161

<https://www.phoenixcontact.com/gb/products/1811161>



Technical data

Product properties

Type	Standard
Number of positions	4
Pitch	2.5 mm
Mounting flange	without


Electrical properties

Maximum load current	2 A
Rated voltage (II/2)	160 V
Rated voltage (III/2)	160 V
Rated surge voltage (II/2)	2.5 kV
Rated surge voltage (III/2)	2.5 kV
Rated surge voltage (III/3)	2.5 kV

Connection data

Maximum load current	2 A
Connection method	Displacement connection

Dimensions

Dimensional drawing	
Installed height	5 mm
Pitch	2.5 mm

Material specifications

Color	black
Flammability rating according to UL 94	V0/V2
Insulating material group	III
Insulating material	PA/PC
Contact surface	Tin Sn
Contact surface material	Sn

Cable/line

Wire diameter incl. insulation	1.6 mm (Terminal block is tested with PVC insulation - other insulation materials available on request)
--------------------------------	---

Standards and regulations

Connection in acc. with standard	EN-VDE
----------------------------------	--------

PTPM 0,2/ 5-P-2,5 PA CAT5 - Plug



1811161

<https://www.phoenixcontact.com/gb/products/1811161>

Mounting

Connection method	Displacement connection
-------------------	-------------------------

PTPM 0,2/ 5-P-2,5 PA CAT5 - Plug


1811161

<https://www.phoenixcontact.com/gb/products/1811161>



Drawings

Dimensional drawing



PTPM 0,2/ 5-P-2,5 PA CAT5 - Plug



1811161

<https://www.phoenixcontact.com/gb/products/1811161>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk