

Specifications



Eaton 184230

Eaton Moeller series IZMX/INX - ACB.
Locking device ON-OFF, metal, OFF

General specifications

| | |
|---------------------------------|--|
| PRODUCT NAME | Eaton Moeller series IZMX/INX other accessory |
| CATALOG NUMBER | 184230 |
| MODEL CODE | IZMX-PLPC40-M-OFF-1 |
| EAN | 4015081783939 |
| PRODUCT LENGTH/DEPTH | 203.2 mm |
| PRODUCT HEIGHT | 82.55 mm |
| PRODUCT WIDTH | 146.05 mm |
| PRODUCT WEIGHT | 0.25 kg |
| COMPLIANCES | RoHS conform |
| GLOBAL CATALOG | 184230 |

Product specifications

| | |
|--|---|
| USED WITH | INX40... IZMX40... |
| ACCESSORY/SPARE PART TYPE | Mechanical locking Interlocks Spare part Accessory |
| AMBIENT OPERATING TEMPERATURE - MAX | 70 °C |
| AMBIENT OPERATING TEMPERATURE - MIN | -25 °C |
| HOUSING MATERIAL | Metal |
| TYPE | Accessory |

SPECIAL FEATURES

- ON-OFF
- Metal
- OFF
- The circuit-breaker's ON/OFF buttons can be locked together by using the interlock. It is also possible to lock only the ON or the OFF button by using a padlock.
- This means that it will no longer be possible to actuate the circuit-breaker locally.
- If the OFF button is interlocked, it will be continuously actuated.
- This means that it will not be possible to use remote switching if optional remote switching with an ON/OFF coil is being used.
- M = Metal

Resources

| | |
|----------------------------------|--|
| CATALOGS | eaton-acb-izm63-catalog-ca0135003en-en-us.pdf |
| DRAWINGS | eaton-circuit-breaker-izm-x-inx-interlock-3d-drawing.eps |
| ECAD MODEL | DA-CE-ETN.IZMX-PLPC40-M-OFF-1 |
| INSTALLATION INSTRUCTIONS | eaton-izm-x40-pushbutton-cover-kit-il01301065en-us.pdf |
| INSTALLATION VIDEOS | Air Circuit Breakers Series IZMX |

| |
|-----------------|
| PROJECT NAME: |
| PROJECT NUMBER: |
| PREPARED BY: |
| DATE: |



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

