Specifications



Eaton 188107

Eaton Moeller® series M30 Blanking plug, Front ring stainless steel

General specifications	
PRODUCT NAME	Eaton Moeller® series M30 Accessory Blanking plug
CATALOG NUMBER	188107
MODEL CODE	M30I-FB
EAN	4015081857852
PRODUCT LENGTH/DEPTH	36 mm
PRODUCT HEIGHT	30 mm
PRODUCT WIDTH	46 mm
PRODUCT WEIGHT	0.035 kg
COMPLIANCES	CE
GLOBAL CATALOG	188107



Product specifications	
CONNECTION TO SMARTWIRE-DT	No
FORCE FOR POSITIVE OPENING - MIN	0 N
OPENING DIAMETER	30 mm
OPENING HEIGHT	0 mm
COLOR	Other
MATERIAL	Metal
DEGREE OF PROTECTION	IP67 IP66 IP69
FUNCTIONS	For closing off of spare mounting locations
LENS TYPE	Round
WIDTH OPENING	0 mm

Resources	
CATALOGS	eaton-pushbuttons-signal- towers-sensors- assortment-overview- catalog-ca047003en-en- us.pdf
	eaton-rmq-titan-brochure- br047004en-en-us.pdf
	Flip catalog - Product Range Catalog - Command and indication
DRAWINGS	eaton-operating-m30- dimensions.eps
	eaton-operating-m30- dimensions-006.eps
	eaton-operating-m30- blanking-plug-3d- drawing.eps
FLYERS	eaton-rmq-titan-selection- aid-brochure-fl047002-en- us.pdf
INSTALLATION INSTRUCTIONS	eaton-operating-devices- m30-rmq-titan-flat-front- instruction-leaflet- il047019zu.pdf
INSTALLATION VIDEOS	RMQ Flat Design
MCAD MODEL	DA-CD- blindverschluss flatfront
	blindverschluss_flatfront
MULTIMEDIA	easyE4 SmartWire-DT module with Remote Touch Display and RMQ multi color indicator
	MCI Multicolor Light Indicator M22 with SmartWire-DT
	RMQ small E-Stop emergency-stop button
	MCI MultiColor Light Indicator RMQ compact solution
SALES NOTES	eaton-rmq-mci-multi- color-light-indicator-flyer- fl047005en-en-us.pdf

eaton-control circuitdevices rmq-titanfl144090en-en-us.pdf

eaton-rmq-small-e-stopflyer-fl047006en-en-us.pdf

eaton-rmq-flat-enclosureflyer-fl047003en-en-us.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









