

# VC-MP-A3 - Housing

1884429

<https://www.phoenixcontact.com/us/products/1884429>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Panel mounting base, made of metal, powder-coated type 3, number of modules 4, cable screw connection Pg21

## Commercial data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 1884429                        |
| Packing unit                         | 1 pc                           |
| Note                                 | Made to order (non-returnable) |
| Sales key                            | AB01                           |
| Product key                          | ABLADB                         |
| Catalog page                         | Page 31 (C-2-2013)             |
| GTIN                                 | 4017918164454                  |
| Weight per piece (including packing) | 504 g                          |
| Weight per piece (excluding packing) | 504 g                          |
| Customs tariff number                | 85389099                       |
| Country of origin                    | PL                             |

# VC-MP-A3 - Housing

1884429

<https://www.phoenixcontact.com/us/products/1884429>



## Technical data


### Notes

|         |                                                                                         |
|---------|-----------------------------------------------------------------------------------------|
| General | When using fiber optics, the bending radii of the cable manufacturers must be observed. |
|---------|-----------------------------------------------------------------------------------------|

### Product properties

|                        |                     |
|------------------------|---------------------|
| Product type           | Panel mounting base |
| Type                   | VC3                 |
| Number of module slots | 4                   |
| Shielded               | no                  |

### Dimensions

|                     |                                                                                     |
|---------------------|-------------------------------------------------------------------------------------|
| Dimensional drawing |  |
| Width               | 36.4 mm                                                                             |
| Height              | 58 mm                                                                               |
| Length              | 92.6 mm                                                                             |

### Material specifications

|                  |               |
|------------------|---------------|
| Color            | gray          |
| Seal material    | EPDM          |
| Housing material | Zinc die-cast |

### Mechanical properties

|                 |     |
|-----------------|-----|
| Mechanical data |     |
| Locking type    | Nut |

### Environmental and real-life conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient conditions              |                   |
| Degree of protection            | IP65/IP66/IP67    |
| Ambient temperature (operation) | -40 °C ... 125 °C |


# VC-MP-A3 - Housing

1884429

<https://www.phoenixcontact.com/us/products/1884429>



## Drawings



# VC-MP-A3 - Housing

1884429

<https://www.phoenixcontact.com/us/products/1884429>




## Accessories

### VC-BZS WH - Marking label

1852875

<https://www.phoenixcontact.com/us/products/1852875>



Marker labels, unprinted, 5-section, for individual labeling with M-PEN or CMS system, white

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)