Specifications







Eaton 019095

Eaton Moeller® series DILEM Paralleling link, main terminals, for DILEM

General specifications	
PRODUCT NAME	Eaton Moeller® series DILEM Accessory Paralleling link
CATALOG NUMBER	019095
EAN	4015080190950
PRODUCT LENGTH/DEPTH	29 mm
PRODUCT HEIGHT	33 mm
PRODUCT WIDTH	33 mm
PRODUCT WEIGHT	0.039 kg
CERTIFICATIONS	UL Category Control No.: NLDX CSA File No.: 012528 CE CSA CSA Class No.: 3211-07 UL 508 CSA-C22.2 No. 14-05 UL File No.: E29096 IEC/EN 60947-4-1 UL
MODEL CODE	P1DILEM



General

ACCESSORY/SPARE PART TYPE	Connecting bridge
PRODUCT CATEGORY	Accessories
PROTECTION	Protected against accidental contact in accordance to VDE 0106 part 100

Climatic environmental conditions

AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
AMBIENT OPERATING TEMPERATURE - MAX	50 °C

Design verification

Design vernication	
EQUIPMENT HEAT DISSIPATION, CURRENT- DEPENDENT PVID	0.08 W
HEAT DISSIPATION CAPACITY PDISS	0 W
HEAT DISSIPATION PER POLE, CURRENT- DEPENDENT PVID	0.03 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	50 A
STATIC HEAT DISSIPATION, NON- CURRENT-DEPENDENT PVS	0 W
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.

<u>eaton-product-overview-</u> <u>for-machinery-catalogue-</u> <u>ca08103003zen-en-us.pdf</u>
Switching and protecting motors - catalog
Product Range Catalog Switching and protecting motors
DA-DC-00004850.pdf
DA-DC-00004838.pdf
eaton-contactors-dilem- paralleling-link- dimensions.eps eaton-contactors- paralleling-link-dilem-3d- drawing.eps
<u>eaton-dilem-accessory-</u> paralleling-link-eplan- <u>019095.edz</u>
DA-CD-p1dilem
DA-CS-p1dilem
<u>eaton-contactors-dilem-</u> paralleling-link-wiring- diagram.eps

10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	ls the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	ls the panel builder's responsibility.
10.9.2 POWER- FREQUENCY ELECTRIC STRENGTH	ls the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	ls the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	ls the panel builder's responsibility.
10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

