1928372

https://www.phoenixcontact.com/us/products/1928372

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Bridge, fully insulated, pitch 7.5 mm, 5-pos.

Commercial data

Item number	1928372
Packing unit	10 pc
Minimum order quantity	50 pc
Note	Made to order (non-returnable)
Sales key	AA18
Product key	AARZFD
Catalog page	Page 830 (C-1-2013)
GTIN	4017918606602
Weight per piece (including packing)	5.09 g
Weight per piece (excluding packing)	5.02 g
Customs tariff number	85366990
Country of origin	PL

1928372

https://www.phoenixcontact.com/us/products/1928372



Technical data

Product properties

Product type	Bridge
Product family	FBSK
Product line	COMBICON Terminals Special
Number of positions	5
Pitch	7.5 mm
Number of connections	5
Number of rows	1
Number of potentials	5
Data management status	
Article revision	04
	U 1
nensions	
Pitch	7.5 mm
	WEEE/RoHS-compliant, free of whiskers according to IEC
Material data - contact Note	60068-2-82/JEDEC JESD 201
Naterial data - contact	
Aaterial data - contact Note Contact material	60068-2-82/JEDEC JESD 201
Aaterial data - contact Note Contact material	60068-2-82/JEDEC JESD 201
Material data - contact Note Contact material Material data - housing	60068-2-82/JEDEC JESD 201 Cu alloy
Material data - contact Note Contact material Material data - housing Color (Housing)	60068-2-82/JEDEC JESD 201 Cu alloy red (3001)
Material data - contact Note Contact material Material data - housing Color (Housing) Insulating material	60068-2-82/JEDEC JESD 201 Cu alloy red (3001) PA
Material data - contact Note Contact material Material data - housing Color (Housing) Insulating material group Insulating material group	60068-2-82/JEDEC JESD 201 Cu alloy red (3001) PA I
Material data - contact Note Contact material Material data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112	60068-2-82/JEDEC JESD 201 Cu alloy red (3001) PA I 600
Contact material Material data - housing Color (Housing) Insulating material Insulating material group CTI according to IEC 60112 Flammability rating according to UL 94	60068-2-82/JEDEC JESD 201 Cu alloy red (3001) PA I 600 V0

Connector

Connection 1

Insulating material	PA
CTI according to IEC 60112	600

1928372

https://www.phoenixcontact.com/us/products/1928372



Classifications

ECLASS

	ECLASS-11.0	27460406
	ECLASS-12.0	27460406
	ECLASS-13.0	27460406
ET	IM	

ETIM 9.0

UNSPSC

UNSPSC 21.0

39121400

EC002943

1928372

https://www.phoenixcontact.com/us/products/1928372



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	
EF3.0 Climate Change		
CO2e kg	0.06 kg CO2e	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com