Specifications

Eaton 197479

Eaton Moeller® series A-PKZ0 Line side adapter for type E with PKZ0

IS
Eaton Moeller® series A- PKZ0 Accessory Line Side Adapter
197479
LSA-PKZ0-E
4015081940028
32 mm
41 mm
45 mm
0.07 kg
IEC/EN 60947-4-1 UL 60947-4-1 CE marking UL Category Control No.: NKJH UL File No.: E123500 UL Listed



General	
ACCESSORY/SPARE PART TYPE	Cover
PRODUCT CATEGORY	Accessories

Climatic environmental conditions	
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
AMBIENT OPERATING TEMPERATURE - MAX	55 °C

Design verification	
EQUIPMENT HEAT DISSIPATION, CURRENT- DEPENDENT PVID	0 W
HEAT DISSIPATION CAPACITY PDISS	0 W
HEAT DISSIPATION PER POLE, CURRENT- DEPENDENT PVID	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	0 A
STATIC HEAT DISSIPATION, NON- CURRENT-DEPENDENT PVS	0 W
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.

	Resources	
	BROCHURES	eaton-motor-starters- system-xstart-brochure- br03407001en-en-us.pdf
	CATALOGUES	Product Range Catalog Switching and protecting motors
		eaton-product-overview- for-machinery-catalogue- ca08103003zen-en-us.pdf
	DRAWINGS	eaton-manual-motor- starters-a-pkz0-line-side- adapter-dimensions.eps
-10		eaton-manual-motor- starters-a-pkz0-line-side- adapter-dimensions- 002.eps
nts.		eaton-manual-motor- starters-a-pkz0-line-side- adapter-3d-drawing.eps
	ECAD MODEL	DA-CE-ETN.LSA-PKZ0-E
nts.	INSTALLATION INSTRUCTIONS	<u>IL122009ZU</u>
	INSTALLATION VIDEOS	WIN-WIN with push-in technology
nts.	MCAD MODEL	<u>DA-CS-lsa pkz0 e</u> <u>DA-CD-lsa pkz0 e</u>
nts.	SALES NOTES	eaton-link-module-for- motor-starters-pkz-flyer- fl034003en-en-us.pdf
its.		

10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.
10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	ls the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	Is the panel builder's responsibility.
10.9.2 POWER- FREQUENCY ELECTRIC STRENGTH	Is the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	ls the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	ls the panel builder's responsibility.
10.10 TEMPERATURE RISE	Not applicable.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









