TU505 1/3



PRODUCT-DETAILS

TU505

TU505-FBP:S500,FBP-Terminal Unit,Screw



| General Information | |
|-----------------------|--|
| Extended Product Type | TU505 |
| Product ID | 1SAP210200R0001 |
| ABB Type Designation | TU505 |
| EAN | 4016779649193 |
| Catalog Description | TU505-FBP:S500,FBP-Terminal Unit,Screw |
| Long Description | TU505-FBP:S500,FBP-Terminal Unit,Screw M12 FBP Interface,24VDC |

| Ordering | |
|-------------------------|--|
| CN8 | 85389091 |
| Invoice Description | TU505-FBP:S500,FBP-Terminal Unit,Screw |
| Made To Order | No |
| Minimum Order Quantity | 1 piece |
| Order Multiple | 1 piece |
| Selling Unit of Measure | piece |

TU505 2/3

| Dimensions | |
|----------------------------|---------|
| Product Net Weight | 0.14 kg |
| Product Net Depth / Length | 28 mm |
| Product Net Height | 135 mm |
| Product Net Width | 67.5 mm |
| Gross Weight | 0.22 kg |

| Technical | |
|---------------------------------------|--|
| Number of Analog Configurable I/Os | 0 |
| Degree of Protection | IP20 |
| Supply Voltage | 24 V DC |
| Ambient Air Temperature | Operation 0 +60 °C Storage -40 +70 °C |

| Additional Information | |
|------------------------|-----------------------------|
| Product Main Type | TU505 |
| Product Name | Distributed Automation I/Os |

| External Classifications and Standards | | |
|--|-------------|--|
| eClass | 27-24-22-92 | |
| UNSPSC | 32151703 | |

| Environmental | |
|----------------|--|
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

 $PLC\ Automation \rightarrow Programmable\ Logic\ Controllers\ PLCs \rightarrow AC500 \rightarrow Communication\ interface\ modules$

TU505 3/3











