

PRODUCT-DETAILS

CR-U 51D

CR-U 51D Pluggable module RC element, 24-60VAC/DC



General Information

Extended Product Type	CR-U 51D
Product ID	1SVR405663R4000
EAN	4013614529115
Catalog Description	CR-U 51D Pluggable module RC element, 24-60VAC/DC
Long Description	The CR-U 51D plug-in module is a pluggable function module for the CR-U range sockets. This module provides arc elimination. The rated control supply voltage is 24-60 V AC/DC.

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85489090

Popular Downloads

Data Sheet, Technical Information	2CDC117008D0204
Instructions and Manuals	2CDC117008D0204

Dimensions

Product Net Width	34 mm
Product Net Height	24 mm

Product Net Depth / Length	9 mm
Product Net Weight	0.007 kg

Technical

Function	Accessory for interface relays CR-U
Sub-Function	Pluggable function module for universal relay sockets
Sub-Function 2	Spark quenching
Output	none
Output Signal	none
Rated Control Supply Voltage (U _s)	24 ... 60 V AC/DC 24 ... 60 V AC

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Environmental Information	1SAA981009-2401
Instructions and Manuals	2CDC117008D0204
RoHS Information	1SVD982020-0001

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	180 mm
Package Level 1 Height	220 mm
Package Level 1 Depth / Length	9 mm
Package Level 1 Gross Weight	0.072 kg
Package Level 1 EAN	4013614383977

Classifications

Object Classification Code	K
ETIM 4	EC002586 - Accessories for switching relay
ETIM 5	EC002586 - Accessories for switching relay
ETIM 6	EC002586 - Accessories for switching relay
ETIM 7	EC002586 - Accessories for switching relay
eClass	7.0 27379208
UNSPSC	39122331

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

