

PRODUCT-DETAILS

## CM-ENS.13P CM-ENS.13P Liquid level monitoring relay 1c/o, sensitivity 5-100kOhm



General Information	
Extended Product Type	CM-ENS.13P
Product ID	1SVR740850R2100
EAN	4013614502842
Catalog Description	CM-ENS.13P Liquid level monitoring relay 1c/o, sensitivity 5-100kOhm
The CM-ENS.13P belongs to the CM liquid level monitoring relay range. It operate rated control supply voltage of 110-130 V AC and 220-240 V AC and has a 1 c/o output with contacts rated at 250 V / 4 A. It monitors liquid levels of conductive flu protects pumps against dry running or tanks against overflow and works accordin open-circuit principle. The sensitivity can be selected via front-face potentiometers. electrodes and a sealable transparent cover for protection against unauthorized char available as accessory. The device offers maintenance free Easy Connect Technolog push-in te	
Ordering	
Ordering Minimum Order Quantity	1 piece
	1 piece 85364900
Minimum Order Quantity	· · · ·
Minimum Order Quantity Customs Tariff Number	· · · ·

Dimensions	
Product Net Width	22.5 mm
Product Net Height	85.6 mm
Product Net Depth / Length	103.7 mm
Product Net Weight	0.145 kg

Technical	
Function	Filling or draining monitoring
Measuring Range	5 100 kΩ
Number of Electrodes	3
Rated Control Supply Voltage (U <sub>s</sub> )	110 130 V AC 220 240 V AC
Output	1 c/o (SPDT) contact
Terminal Type	Screwless Terminals
Rated Operational Current AC-12 (I <sub>e</sub> )	(230 V) 4 A
Rated Operational Current AC-15 (I <sub>e</sub> )	(230 V) 3 A
Rated Operational Current DC-12 (I <sub>e</sub> )	(24 V) 4 A
Rated Operational Current DC-13 (I <sub>e</sub> )	(24 V) 2 A
Minimum Switching Capacity	12 V 10 mA
Rated Insulation Voltage (U <sub>i</sub> )	Measuring Circuit / Output Circuit 300 V Output Circuit 1 / Output Circuit 2 300 V Supply Circuit / Measuring Circuit 300 V Supply Circuit / Output Circuit 300 V
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	Measuring Circuit / Output Circuit 4 kV Output Circuit 1 / Output Circuit 2 4 kV Supply Circuit / Measuring Circuit 4 kV Supply Circuit / Output Circuit 4 kV
Degree of Protection	Housing IP50 Terminals IP20
Overvoltage Category	III
Pollution Degree	3
Short-Circuit Protective Devices	Output Circuit NC - F Type Fuses 6 A Output Circuit NO - F Type Fuses 10 A
Electrical Durability	AC-12 100000 cycle
Mechanical Durability	1000000 cycle
Connecting Capacity	Flexible with Ferrule 2x 0.5 1.5 mm² Flexible with Insulated Ferrule 2x 0.5 1.5 mm² Flexible 2x 0.5 1.5 mm² Rigid 2x 0.5 1.5 mm²
Wire Stripping Length	8 mm
Mounting Position	Any
Mounting on DIN Rail	TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715
Standards	CAN/CSA C22.2 No.14 EN 50581 IEC/EN 60255-27 IEC/EN 61000-6-2 IEC/EN 61000-6-3 UL 508

2

Voltage UL/CSA	
Contact Rating UL/CSA	B300
Connecting Capacity UL/CSA	Flexible 2x 18-16 AWG Rigid 2x 20-16 AWG

Environmental

Ambient Air Temperature

**RoHS Status** 

Operation -25 ... +60 °C Storage -40 ... +85 °C Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)	
CCC Certificate	CCC_2015010303819793
CQC Certificate	CQC2015010303819793
cULus Certificate	cULus508_20150627-E140448
Declaration of Conformity - CCC (CCC)	2020980303000198
Declaration of Conformity - CE	1SVD981005
DNV GL Certificate	DNV_GL_TAA00000RW
EAC Certificate	EAC_RU_C-DE.ME77.B.02330
Instructions and Manuals	1SVC730680M0000
RMRS Certificate	RMRS_1740020250
RoHS Information	1SVD981005

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	97 mm
Package Level 1 Height	109 mm
Package Level 1 Depth / Length	30 mm
Package Level 1 Gross Weight	0.17 kg
Package Level 1 EAN	4013614502842

Classifications	
Object Classification Code	В
ETIM 5	EC001447 - (Fill) level monitoring relay
ETIM 6	EC001447 - (Fill) level monitoring relay
ETIM 7	EC001447 - (Fill) level monitoring relay
eClass	7.0 27371813

## Categories

 $\label{eq:low-voltage-roducts} \mbox{Low-Voltage-Products} \mbox{ and Systems} \mbox{ } \rightarrow \mbox{Control Products} \mbox{ } \rightarrow \mbox{Electronic Relays} \mbox{ and Controls} \mbox{ } \rightarrow \mbox{Liquid Level Monitors} \mbox{ and Controls} \mbox{ } \rightarrow \mbox{Electronic Relays} \mbox{ } \rightarrow \$ 

