

Specifications




Photo is representative

Eaton 215646

Eaton Moeller series xPole - Busbar. EV busbars 1Ph., 2HP, 63A for PLS. CLS. PKN., PFIM, PFHM, PFNM

General specifications

PRODUCT NAME	Eaton Moeller series busbar
CATALOG NUMBER	215646
MODEL CODE	EVG-1PHAS/2MODUL
EAN	4015082156466
PRODUCT LENGTH/DEPTH	30 mm
PRODUCT HEIGHT	30 mm
PRODUCT WIDTH	3 mm
PRODUCT WEIGHT	0.007 kg
COMPLIANCES	RoHS conform

Product specifications

USED WITH	Busbar EVG
TYPE	<ul style="list-style-type: none">• Busbar• EVG
FEATURES	Insulated
ACCESSORY/SPARE PART TYPE	Busbar for miniature circuit breaker Busbar for residual current circuit breakers Busbar for combined residual current/power circuit breaker
ELECTRIC CONNECTION TYPE	Fork
RATED SURGE VOLTAGE	4 kV
RATED UNINTERRUPTED CURRENT (IU)	63 A
SUITABLE FOR NUMBER OF DEVICES	2
NUMBER OF POLES	Single-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
CROSS SECTION	10 mm ²
NUMBER OF MODULAR SPACINGS	2
NUMBER OF PHASES	1
PITCH DIMENSIONS	0 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	500 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	25 kA
FUNCTIONS	Busbar
SUITABLE FOR	2 devices

Resources

DECLARATIONS OF CONFORMITY

[DA-DC-03 EVG](#)

DRAWINGS

[eaton-busbar-3d-drawing.jpg](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

