Specifications



Photo is representative

Eaton 215659

Eaton Moeller series xPole - Busbar. EV busbars 3Ph., 4+5HP, for combined FI-/LS unit with 4 p-FI

General specifications	
PRODUCT NAME	Eaton Moeller series busbar
CATALOG NUMBER	215659
MODEL CODE	EVG-3PHAS/N/5MODUL/LS
EAN	9010238140264
PRODUCT LENGTH/DEPTH	157 mm
PRODUCT HEIGHT	28 mm
PRODUCT WIDTH	10 mm
PRODUCT WEIGHT	0.062 kg
COMPLIANCES	RoHS conform
GLOBAL CATALOG	215659



Product specification	S
USED WITH	Busbar EVG
ТҮРЕ	• Busbar • EVG
FEATURES	Insulated
ACCESSORY/SPARE PART TYPE	Busbar for combined residual current/power circuit breaker Busbar for miniature circuit breaker Busbar for residual current circuit breakers
ELECTRIC CONNECTION TYPE	Fork
RATED SURGE VOLTAGE	4 KV
RATED UNINTERRUPTED CURRENT (IU)	63 A
SUITABLE FOR NUMBER OF DEVICES	2
NUMBER OF POLES	Four-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
CROSS SECTION	10 mm²
NUMBER OF MODULAR SPACINGS	5
NUMBER OF PHASES	3
PITCH DIMENSIONS	0 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	500 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	25 kA

Busbar

FUNCTIONS

Resources	
DECLARATIONS OF CONFORMITY	DA-DC-03 EVG
DRAWINGS	eaton-busbar-3d- drawing.jpg
	eaton-mcb-busbar-3d- drawing-007.eps

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









