

# Specifications

## Eaton 219573

Eaton Moeller series xPole - Busbar. EV busbars 2Ph., 4.5HP, for auxiliary contact unit

### General specifications

<b>PRODUCT NAME</b>	Eaton Moeller series busbar
<b>CATALOG NUMBER</b>	219573
<b>MODEL CODE</b>	EVG-2PHAS/4MODUL/HI
<b>EAN</b>	9010238140202
<b>PRODUCT LENGTH/DEPTH</b>	75.5 mm
<b>PRODUCT HEIGHT</b>	30.9 mm
<b>PRODUCT WIDTH</b>	7.5 mm
<b>PRODUCT WEIGHT</b>	0.02 kg
<b>COMPLIANCES</b>	RoHS conform

## Product specifications

USED WITH	Busbar EVG
TYPE	<ul style="list-style-type: none"><li>• Busbar</li><li>• EVG</li></ul>
FEATURES	Insulated
ACCESSORY/SPARE PART TYPE	Busbar for residual current circuit breakers Busbar for miniature circuit breaker Busbar for combined residual current/power circuit breaker
ELECTRIC CONNECTION TYPE	Fork
RATED SURGE VOLTAGE	4 kV
RATED UNINTERRUPTED CURRENT (IU)	63 A
SUITABLE FOR NUMBER OF DEVICES	7
NUMBER OF POLES	Two-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
CROSS SECTION	10 mm <sup>2</sup>
NUMBER OF MODULAR SPACINGS	4
NUMBER OF PHASES	2
PITCH DIMENSIONS	0 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	500 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	25 kA
FUNCTIONS	Busbar
SUITABLE FOR	Devices with auxiliary switch 2 devices

## Resources

### DECLARATIONS OF CONFORMITY

[DA-DC-03 EVG](#)

### DRAWINGS

[eaton-mcb-busbar-3d-drawing-010.eps](#)

[eaton-busbar-3d-drawing.jpg](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

