2265050

https://www.phoenixcontact.com/us/products/2265050

PHENIX

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



19" plug-in card block, color: green, number of positions: 32, product range: SKBI 64, pitch: 5.08 mm, type of packaging: packed in cardboard

Commercial data

Item number	2265050
Packing unit	1 pc
Sales key	AA18
Product key	AARHAD
Catalog page	Page 782 (C-1-2013)
GTIN	4017918053949
Weight per piece (including packing)	259.3 g
Weight per piece (excluding packing)	196 g
Customs tariff number	85369010
Country of origin	DE

2265050

https://www.phoenixcontact.com/us/products/2265050



Technical data

Product properties

Туре	IEC 60603-2/DIN 41612 - D
Product type	19" plug-in card block
Product family	SKBI 64
Number of positions	32
Pitch	5.08 mm

Connection data

Connection method	Screw connection with tension sleeve
Stripping length	8 mm
Screw thread	М3


Dimensions

Width 118 mm Height 162 mm Length 66 mm Hole diameter 4.2 mm Pitch 5.08 mm Waterial specifications Color green Standards and regulations Connection in acc. with standard EN-VDE Type of packaging packed in cardboard packed in cardboard	Dimensional drawing		
Length 66 mm Hole diameter 4.2 mm Pitch 5.08 mm Material specifications Color Color green Standards and regulations Connection in acc. with standard EN-VDE	Width	118 mm	
Hole diameter 4.2 mm Pitch 5.08 mm Color Color green Standards and regulations Connection in acc. with standard EN-VDE	Height	162 mm	
Pitch 5.08 mm Material specifications Golor Color green Standards and regulations Gonection in acc. with standard Connection in acc. with standard EN-VDE	Length	66 mm	
Material specifications Color green Standards and regulations Connection in acc. with standard EN-VDE Packaging specifications	Hole diameter	4.2 mm	
Color green Standards and regulations Connection in acc. with standard Connection in acc. with standard EN-VDE	Pitch	5.08 mm	
Standards and regulations Connection in acc. with standard EN-VDE Packaging specifications	Material specifications		
Connection in acc. with standard EN-VDE Packaging specifications En-VDE	Color	green	
Packaging specifications	Standards and regulations		
	Connection in acc. with standard	EN-VDE	
Type of packaging packed in cardboard	Packaging specifications		
	Type of packaging	packed in cardboard	


2265050

https://www.phoenixcontact.com/us/products/2265050

Drawings



118




PHŒN

Dimensional drawing



2265050

https://www.phoenixcontact.com/us/products/2265050



Schematic diagram

2265050

https://www.phoenixcontact.com/us/products/2265050



Classifications

ECLASS

	ECLASS-11.0	27141152
	ECLASS-12.0	27141152
ETIM		
	ETIM 8.0	EC002780
UNSPSC		
	UNSPSC 21.0	39121400



2265050

https://www.phoenixcontact.com/us/products/2265050



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com