


SIM-AMS 1 - Relay base



2271015
<https://www.phoenixcontact.com/sk/products/2271015>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plug-in base, for standard I/O modules, with different numbers of contacts, can be labeled with marker pins BN or BNB



Commercial data

Item number	2271015
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	CK6
Product key	CK61G5
Catalog page	Page 560 (C-7-2013)
GTIN	4017918103484
Weight per piece (including packing)	9.16 g
Weight per piece (excluding packing)	9.14 g
Customs tariff number	85369010
Country of origin	PL

SIM-AMS 1 - Relay base

2271015

<https://www.phoenixcontact.com/sk/products/2271015>



Technical data

Product properties

Product type	Relay socket
Number of contacts, type	1


Electrical properties

Nominal voltage U_N	250 V AC
	380 V AC
Nominal current I_N	5 A

Connection data

Connection method	Solder pins
-------------------	-------------

Dimensions

Dimensional drawing	
Pin dimensions	1,1 x 0,5 mm
Hole diameter	1.4 mm

Material specifications

Color	green (RAL 6021)
Insulating material	PA

Standards and regulations

Standards	
Standards/regulations	DIN VDE 0110b, Gr. C for 250 V DC

SIM-AMS 1 - Relay base



2271015

<https://www.phoenixcontact.com/sk/products/2271015>



Drawings

Schematic diagram




SIM-AMS 1 - Relay base

2271015

<https://www.phoenixcontact.com/sk/products/2271015>



Dimensional drawing



SIM-AMS 1 - Relay base



2271015

<https://www.phoenixcontact.com/sk/products/2271015>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/sk/products/2271015>

 CSA Approval ID: 13631				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
	300 V	5 A	-	-

 UL Recognized Approval ID: FILE E 113228				
	Nominal voltage U_N	Nominal current I_N	Cross section AWG	Cross section mm^2
	300 V	5 A	-	-

 EAC Approval ID: RU D-DE.B*00573/18				
--	--	--	--	--

SIM-AMS 1 - Relay base

2271015

<https://www.phoenixcontact.com/sk/products/2271015>



Classifications

ECLASS

ECLASS-11.0	27371603
ECLASS-12.0	27371603
ECLASS-13.0	27371603

ETIM

ETIM 8.0	EC001456
----------	----------

UNSPSC

UNSPSC 21.0	39122300
-------------	----------

SIM-AMS 1 - Relay base



2271015
<https://www.phoenixcontact.com/sk/products/2271015>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT s.r.o.
Námestie Mateja Korvína 1
811 07 Bratislava
+421 2 3210 1470
obchod.sk@phoenixcontact.com