

https://www.phoenixcontact.com/us/products/2271031



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in base for standard I/O modules, with safety catch for securing solid-state relays, with different numbers of contacts, can be labeled with marker pins BN or BNB

Commercial data

Item number	2271031
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	C460
Product key	CK61G5
Catalog page	Page 561 (C-7-2013)
GTIN	4017918054076
Weight per piece (including packing)	13.4 g
Weight per piece (excluding packing)	13.4 g
Customs tariff number	85369010
Country of origin	PL



https://www.phoenixcontact.com/us/products/2271031



Technical data

Product properties

Number of contacts, type	1


Electrical properties

Nominal voltage U _N	250 V AC
	380 V AC
Nominal current I _N	5 A

Connection data

Connection method	Coldor nino
Connection method	Solder pins

Dimensions



Material specifications

Color	green (RAL 6021)
Insulating material	PA

Standards and regulations

Standards

Standards/regulations	DIN VDE 0110b, Gr. C for 250 V DC
otariaa agri ogalatione	2 122 0

2271031

https://www.phoenixcontact.com/us/products/2271031




Drawings


Schematic diagram

Contacts in the plug-in socket

1. Partial mounting for standard I/O modules



2. Complete mounting for analog I/O modules, for example




- with metal
- Owithout metal



https://www.phoenixcontact.com/us/products/2271031







https://www.phoenixcontact.com/us/products/2271031



Classifications

ECLASS

	ECLASS-11.0	27371603
UNSPSC		
	UNSPSC 21.0	39122335



https://www.phoenixcontact.com/us/products/2271031



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)



https://www.phoenixcontact.com/us/products/2271031



Accessories

B-STIFT - Marker pen

1051993

https://www.phoenixcontact.com/us/products/1051993



Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm

X-PEN 0,35 - Marker pen

0811228

https://www.phoenixcontact.com/us/products/0811228



Marker pen without ink cartridge, for manual labeling of markers, labeling extremely wipe-proof, line thickness 0.35 mm

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com