ANT-OMNI-2459-02 - Antenna

2701408

https://www.phoenixcontact.com/us/products/2701408

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Omnidirectional antenna for control cabinet mounting, frequency band: 2.4 GHz / 5 GHz, gain: 2. 5 dBi / 5 dBi, degree of protection: IP68, connection: N (male)

Your advantages

· Ideally suited for freely mobile or stationary applications with 2.4 GHz or 5 GHz

Commercial data

Item number	2701408
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNN2Z1
Catalog page	Page 388 (C-6-2019)
GTIN	4046356746731
Weight per piece (including packing)	58.5 g
Weight per piece (excluding packing)	58.5 g
Customs tariff number	85177100
Country of origin	TW

ANT-OMNI-2459-02 - Antenna

2701408

https://www.phoenixcontact.com/us/products/2701408



Technical data

Product properties

Product type	Antenna
Radiation characteristics	Omnidirectional
Gain	2.5 dBi (2.4 GHz)
	5 dBi (5 GHz)
Vertical beamwidth	30 ° (at 2.4 GHz)
	16 ° (at 5 GHz)
Horizontal beamwidth	360 ° (at 2.4 GHz)
	360 ° (at 5 GHz)
Polarization	Linear vertical

Electrical properties

Frequency band	2.4 GHz
	5 GHz
Frequency range	2.4 GHz 2.5 GHz
	5.15 GHz 5.85 GHz
Impedance	50 Ω
Maximum capacity	2.00 W

Connection data

Connection technology	
Connection method	N (male)

Dimensions

Length	180 mm
Diameter	23 mm

Material specifications

	Material	ABS-PC	
Ca	Cable/line		
	Connecting cable	No	

Environmental and real-life conditions

	Ambient conditions Degree of protection	IP68
	Ambient temperature (operation)	-40 °C 70 °C
	Ambient temperature (storage/transport)	-40 °C 70 °C
Мс	Mounting	

Mounting type Control cabinet




2701408

https://www.phoenixcontact.com/us/products/2701408




Assembly instructions	Accessories required
	Outdoors and indoors
Connection method	N (male)




2701408 https://www.phoenixcontact.com/us/products/2701408



Drawings



Installation example



2701408

https://www.phoenixcontact.com/us/products/2701408



Classifications

ECLASS

ECLASS-11.0	19070105
ECLASS-12.0	19070105
ECLASS-13.0	19070105

ETIM

	ETIM 9.0	EC001698
UN	ISPSC	
	UNSPSC 21.0	43223100



2701408

https://www.phoenixcontact.com/us/products/2701408



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com