

# IFS-USB-PROG-ADAPTER - Programming adapter



2811271

<https://www.phoenixcontact.com/cn/products/2811271>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Programming adapter with USB interface, for programming with software. The USB driver is included in the software solutions for the products to be programmed, such as measuring transducers or motor managers.

## Commercial data

Item number	2811271
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CK11ZZ
Product key	CK11ZZ
Catalog page	Page 111 (C-5-2019)
GTIN	4046356178082
Weight per piece (including packing)	158.433 g
Weight per piece (excluding packing)	147.4 g
Customs tariff number	8544421100
Country of origin	DE

# IFS-USB-PROG-ADAPTER - Programming adapter



2811271

<https://www.phoenixcontact.com/cn/products/2811271>

## Technical data

### Product properties

Product type	Programming adapter
--------------	---------------------

### Connection data

#### PC side

Connection method	USB 2.0 Fullspeed
-------------------	-------------------

#### Interface to measuring transducer

Connection method	S-PORT
-------------------	--------

### Dimensions

Width	40 mm
Height	20 mm
Depth	80 mm

### Material specifications

Housing material	ABS
------------------	-----

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 65 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Max. permissible relative humidity (operation)	90 % (25 °C)

### Approvals

#### UL, USA/Canada

Identification	UL 508 Listed
	Class I, Div. 2, Groups A, B, C, D T6
	Class I, Zone 2, Group IIC T6

### EMC data


Noise immunity	EN 61000-6-2
Electromagnetic compatibility	Conformance with EMC directive
Noise emission	EN 61000-6-4

2811271


<https://www.phoenixcontact.com/cn/products/2811271>

Approvals


To download certificates, visit the product detail page: <https://www.phoenixcontact.com/cn/products/2811271>




**EAC**  
Approval ID: RU C-DE.A\*08.B.01837




**UL Listed**  
Approval ID: FILE E 238705



**cUL Listed**  
Approval ID: FILE E 238705



**cUL Listed**  
Approval ID: FILE E 199827



**UL Listed**  
Approval ID: FILE E 199827

**cULus Listed**

**cULus Listed**

# IFS-USB-PROG-ADAPTER - Programming adapter



2811271

<https://www.phoenixcontact.com/cn/products/2811271>

## Classifications

### ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392

### ETIM

ETIM 9.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	39121100
-------------	----------

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

菲尼克斯（中国）投资有限公司总部  
南京市江宁经济开发区菲尼克斯路36号  
（江宁236信箱）邮编：211100  
025-52121888  
[phoenix@phoenixcontact.com.cn](mailto:phoenix@phoenixcontact.com.cn)