

RAD-PIG-EF316-MCX-N - Antenna cable



2867681

<https://www.phoenixcontact.com/pc/products/2867681>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Antenna cable, outside diameter: 3.2 mm (0.126 in.), inner conductor: stranded, attenuation: 0.6 / 1.0 / 1.4 dB at 0.9 / 2.4 / 5.8 GHz, connection: MCX (male) -> N (male), cable length: 0.5 m (1.6 ft.)

Your advantages

- Halogen-free
- Flame-retardant
- Oil-resistant
- UV resistant
- For indoors

Commercial data

Item number	2867681
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	DNN2Z1
Catalog page	Page 176 (C-4-2017)
GTIN	4017918939052
Weight per piece (including packing)	42.2 g
Weight per piece (excluding packing)	39.5 g
Customs tariff number	85442000
Country of origin	PL

RAD-PIG-EF316-MCX-N - Antenna cable



2867681

<https://www.phoenixcontact.com/pc/products/2867681>

Technical data

Product properties

Product type	Coaxial cable
--------------	---------------

Electrical properties

Frequency range	0.3 GHz ... 6 GHz
Impedance	50 Ω

Connection data

Connector connection

Connection method	MCX (male)
-------------------	------------

Connector connection

Connection method	N (male)
-------------------	----------

Material specifications

Outer sheath, material	RADOX [®] (LSFH)
------------------------	---------------------------

Cable/line

Cable length	50 cm
Cable type	EF 316
External cable diameter	2.50 mm
Outer sheath, material	RADOX [®] (LSFH)
External sheath, color	blue
Bending radius, long-term	12.50 mm
868 / 900 MHz	0.6 dB
2.4 GHz	1 dB

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

RAD-PIG-EF316-MCX-N - Antenna cable



2867681

<https://www.phoenixcontact.com/pc/products/2867681>

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com