

2867801

https://www.phoenixcontact.com/us/products/2867801

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Directional antenna, 868 MHz / 900 MHz, gain: 5 dBi, polarization: linear, opening angle: h/v 168°/78°, degree of protection: IP65, connection: N (female), incl. mounting bracket and mast clips



#### Your advantages

- · For stationary or linear mobile applications
- · For point-to-point connections
- · For large distances

#### Commercial data

Item number	2867801
Packing unit	1 pc
Sales key	DN23
Product key	DNC6A3
Catalog page	Page 395 (C-6-2019)
GTIN	4017918976668
Weight per piece (including packing)	1,277.8 g
Weight per piece (excluding packing)	1,205 g
Customs tariff number	85177100
Country of origin	US



2867801

https://www.phoenixcontact.com/us/products/2867801

#### Technical data

#### Product properties

Product type	Antenna
Gain	5 dBi
Vertical beamwidth	78 °
Horizontal beamwidth	168 °
Polarization	Linear vertical or horizontal

#### Electrical properties

Frequency band	900 MHz
Frequency range	900 MHz
Impedance	50 Ω

#### Connection data

#### Connection technology

Connection method	N (female) with cable (0.6 m)
Outside diameter	32 mm 60 mm (Mast)

#### **Dimensions**

Width	6 cm
Height	17 cm

#### External dimensions

Outside diameter	32 mm 60 mm (Mast)

#### Material specifications

Material	Aluminum
	V2A
	V2A

#### Cable/line

Cable length	0.60 m
Connecting cable	yes

#### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C 80 °C
Wind velocity	15.4321 km/h

#### Mounting


Mounting type	Mast mounting
Connection method	N (female) with cable (0.6 m)



https://www.phoenixcontact.com/us/products/2867801




## Drawings







https://www.phoenixcontact.com/us/products/2867801







Mast mounting





2867801

https://www.phoenixcontact.com/us/products/2867801

### Classifications

UNSPSC 21.0

#### **ECLASS**

ECLASS-11.0	19070105
ECLASS-12.0	19070105
ECLASS-13.0	19070105
ETIM	
ETIM 9.0	EC001698
UNSPSC	

43223100



2867801

https://www.phoenixcontact.com/us/products/2867801

### Environmental product compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com