

EMD-SL-PS45-400AC - Power module



2885304

<https://www.phoenixcontact.com/pc/products/2885304>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Power modules, pluggable, for EMD-FL-..., supply voltage: 323...456 V AC



Your advantages

- Adjustable asymmetry
- Variable supply voltage range
- Adjustable response delay
- Adjustable via potentiometer on the front

Commercial data

Item number	2885304
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	CK41Z1
Catalog page	Page 252 (C-5-2019)
GTIN	4017918996543
Weight per piece (including packing)	90.5 g
Weight per piece (excluding packing)	90.5 g
Customs tariff number	85043180
Country of origin	DE

EMD-SL-PS45-400AC - Power module



2885304

<https://www.phoenixcontact.com/pc/products/2885304>

Technical data

Product properties

Product type	Power module
--------------	--------------

Input data

Input voltage	400 V AC (50/60 Hz)
Input voltage range AC	340 V AC ... 440 V AC

Dimensions

Width	32 mm
Height	35 mm
Depth	26 mm
Horizontal pitch	1.8 Div.

Material specifications

Housing material	Plastic
------------------	---------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-25 °C ... 55 °C
Ambient temperature (storage/transport)	-25 °C ... 70 °C

EMD-SL-PS45-400AC - Power module



2885304

<https://www.phoenixcontact.com/pc/products/2885304>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/2885304>



EAC

Approval ID: RU *-DE.**08.B-02133

EMD-SL-PS45-400AC - Power module



2885304

<https://www.phoenixcontact.com/pc/products/2885304>

Classifications

ECLASS

ECLASS-11.0	27040701
ECLASS-12.0	27040701
ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121000
-------------	----------

EMD-SL-PS45-400AC - Power module



2885304

<https://www.phoenixcontact.com/pc/products/2885304>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com