

EMD-SL-PS- 24DC - Power module



2885359

<https://www.phoenixcontact.com/be/products/2885359>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Power modules, pluggable, for EMD-SL-..., supply voltage: 20 V DC ... 30 V DC

Your advantages

- Separately adjustable startup and response delays
- Variable supply voltage range
- Adjustable via potentiometer on the front

Commercial data

Item number	2885359
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CK41Z1
Product key	CK41Z1
Catalog page	Page 250 (C-5-2019)
GTIN	4046356049887
Weight per piece (including packing)	24,1 g
Weight per piece (excluding packing)	21 g
Customs tariff number	85043180
Country of origin	AT

EMD-SL-PS- 24DC - Power module

2885359

<https://www.phoenixcontact.com/be/products/2885359>



Technical data

Notes

Utilization restriction

EMC note

EMC: class A product, see manufacturer's declaration in the download area

Product properties

Product type

Power module

Input data

Input voltage

24 V DC

Input voltage range DC

20 V DC ... 30 V DC

Dimensions

Width

32 mm

Height

35 mm

Depth

16 mm

Horizontal pitch

1.8 Div.

Material specifications

Housing material

Plastic

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)

-25 °C ... 55 °C

Ambient temperature (storage/transport)

-25 °C ... 70 °C

EMD-SL-PS- 24DC - Power module



2885359

<https://www.phoenixcontact.com/be/products/2885359>

Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/be/products/2885359>



EAC

Approval ID: RU *-DE:**08.B-02133

EMD-SL-PS- 24DC - Power module



2885359

<https://www.phoenixcontact.com/be/products/2885359>

Classifications

ECLASS

ECLASS-11.0	27040701
ECLASS-12.0	27040701
ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121000
-------------	----------

EMD-SL-PS- 24DC - Power module



2885359

<https://www.phoenixcontact.com/be/products/2885359>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT nv/sa
Minervastraat 10-12
1930 Zaventem-Keiberg II
+32 (0)2/723 98 11
info@phoenixcontact.be