

RAD-PIG-RSMA/N-3 - Antenna cable



2903266
<https://www.phoenixcontact.com/us/products/2903266>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Antenna cable, outside diameter: 5 mm (0.2 in.), inner conductor: solid, attenuation: 1.2 / 2.0 / 3.0 dB at 0.9 / 2.4 / 5.8 GHz, connection: N (male) -> RSMA (male), cable length: 3 m (10 ft.)



Product description

Coaxial antenna adapter cable, N (male) to RSMA (male), 50 Ω, 3.0 m

Your advantages

- Low attenuation
- UV resistant
- For outdoor installation

Commercial data

Item number	2903266
Packing unit	1 pc
Sales key	DN23
Product key	DNC6A3
Catalog page	Page 391 (C-6-2019)
GTIN	4046356743464
Weight per piece (including packing)	158.6 g
Weight per piece (excluding packing)	147.8 g
Customs tariff number	85442000
Country of origin	US

RAD-PIG-RSMA/N-3 - Antenna cable



2903266

<https://www.phoenixcontact.com/us/products/2903266>

Technical data

Product properties

Product type	Coaxial cable
--------------	---------------

Electrical properties

Frequency range	0.3 GHz ... 6 GHz
Impedance	50 Ω

Connection data

Connection method	RSMA (male)
Connection method	N (male)

Material specifications

Outer sheath, material	PE
------------------------	----

Cable/line

Cable length	3 m
Cable type	195
External cable diameter	4.95 mm
Outer sheath, material	PE
External sheath, color	black
Bending radius, long-term	12.70 mm
868 / 900 MHz	1.2 dB
2.4 GHz	2 dB

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
---------------------------------	------------------

Approvals

CE

Certificate	CE-compliant
-------------	--------------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com