

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Radioline - USB data cable for communication between the PC and Radioline devices, energy supply for diagnostics and configuration via the USB port of the PC, cable length: 2 m / 6.5 ft

Your advantages

- Power supply for diagnostics and configuration via the USB port of the PC

Commercial data

Item number	2903447
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNC61Z
Catalog page	Page 376 (C-6-2019)
GTIN	4046356739429
Weight per piece (including packing)	70 g
Weight per piece (excluding packing)	64.3 g
Customs tariff number	85444290
Country of origin	DE

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Technical data

Notes

Utilization restriction

EMC note	EMC: class A product, see manufacturer's declaration in the download area
----------	---

Product properties

Product type	Programming cable
Sensor type	USB

Electrical properties

Transmission medium	Copper
---------------------	--------

Connection data

Cross section AWG	(converted acc. to IEC)
-------------------	-------------------------

PC side

Connection method	USB 2.0 Fullspeed
Notes	serial

Device side

Connection method	IFS data port
-------------------	---------------

Material specifications

Material	PVC
----------	-----

Cable/line

Cable length	2 m
External cable diameter	3.50 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C (-13 °F ... 158 °F)
Ambient temperature (storage/transport)	-40 °C ... 85 °C (-40 °F ... 185 °F)
Max. permissible relative humidity (operation)	≤ 90 % (at 25 °C, non-condensing)

Approvals

EAC

Identification	EAC
----------------	-----

EMC data

Noise immunity	EN 61000-6-2
Electromagnetic compatibility	Conformance with EMC Directive 2014/30/EU

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Noise emission	EN 61000-6-4
----------------	--------------


RAD-CABLE-USB - Cable for programming

2903447

<https://www.phoenixcontact.com/us/products/2903447>

Drawings

Schematic diagram



Example application

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2903447>



EAC

Approval ID: 19060508

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Classifications

ECLASS

ECLASS-11.0	19179090
ECLASS-12.0	19179090
ECLASS-13.0	19179090

ETIM

ETIM 9.0	EC002608
----------	----------

UNSPSC

UNSPSC 21.0	43222600
-------------	----------

RAD-CABLE-USB - Cable for programming



2903447

<https://www.phoenixcontact.com/us/products/2903447>

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

RAD-CABLE-USB - Cable for programming

2903447

<https://www.phoenixcontact.com/us/products/2903447>



Accessories

RAD-2400-IFS - Wireless module

2901541

<https://www.phoenixcontact.com/us/products/2901541>



Radioline - 2.4 GHz wireless transceiver with RS-232/RS-485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 250 stations, range of up to 5 km (with a clear line of sight), for worldwide use

RAD-900-IFS - Wireless module

2901540

<https://www.phoenixcontact.com/us/products/2901540>



Radioline - 900 MHz wireless transceiver with RS-232/485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 250 stations, range of up to 32 km (line of sight), use in North America

RAD-CABLE-USB - Cable for programming

2903447

<https://www.phoenixcontact.com/us/products/2903447>



RAD-868-IFS - Wireless module

2904909

<https://www.phoenixcontact.com/us/products/2904909>



Radioline - 868 MHz wireless transceiver with RS-232/RS-485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 99 stations, range of up to 20 km (with a clear line of sight), for use in Europe

RAD-RS485-IFS - Communication module

2702184

<https://www.phoenixcontact.com/us/products/2702184>



Radioline - RS-485 multipoint multiplexer, can be extended with I/O modules, can be used as Modbus/RTU bus coupler or can be combined with Radioline wireless system, up to 99 stations, range of up to 1.2 km on in-house copper cables

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com