

2966838

https://www.phoenixcontact.com/us/products/2966838

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: gray

Commercial data

Item number	2966838
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	C461
Product key	CK6243
Catalog page	Page 426 (C-5-2019)
GTIN	4017918130657
Weight per piece (including packing)	44.65 g
Weight per piece (excluding packing)	42.65 g
Customs tariff number	85366990
Country of origin	DE



2966838

https://www.phoenixcontact.com/us/products/2966838

Technical data

Product properties	
Product type	Bridge
Electrical properties	
Maximum load current	32 A
Connection data	
Maximum load current	32 A
Dimensions	
Length	500 mm
Material specifications	
Color	gray



2966838

https://www.phoenixcontact.com/us/products/2966838

Approvals

🎨 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2966838



GL

Approval ID: 46016-03 HH



cULus ListedApproval ID: E140324



cULus ListedApproval ID: E199827



2966838

https://www.phoenixcontact.com/us/products/2966838

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692
ETIM	
ETIM 9.0	EC002586
UNSPSC	

39121400



2966838

https://www.phoenixcontact.com/us/products/2966838

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com