

2967976

https://www.phoenixcontact.com/pc/products/2967976

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Continuous plug-in bridge, length: 500 mm, color: brown

Commercial data

Item number	2967976
Packing unit	20 pc
Minimum order quantity	1 pc
Product key	CK62Z1
GTIN	4017918188788
Weight per piece (including packing)	41.15 g
Weight per piece (excluding packing)	41.15 g
Customs tariff number	85366990
Country of origin	DE



2967976

https://www.phoenixcontact.com/pc/products/2967976

Technical data

Product properties	
Product type	Bridge
Electrical properties	
Maximum load current	32 A
Connection data	
Maximum load current	32 A
Dimensions	
Length	500 mm
Material specifications	
Color	brown



2967976

https://www.phoenixcontact.com/pc/products/2967976

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/pc/products/2967976



GL

Approval ID: 46016-03 HH



cULus ListedApproval ID: E140324



cULus Listed Approval ID: E199827



2967976

https://www.phoenixcontact.com/pc/products/2967976

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692
ETIM	
ETIM 9.0	EC002586
UNSPSC	

39121400



2967976

https://www.phoenixcontact.com/pc/products/2967976

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com