

2989213

https://www.phoenixcontact.com/pc/products/2989213

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Firewall/router in PCI format 533 MHz processor cycle frequency

Commercial data

Item number	2989213
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	DNN312
Catalog page	Page 310 (NTK-2010)
GTIN	4046356298933
Weight per piece (including packing)	115.7 g
Weight per piece (excluding packing)	115.7 g
Customs tariff number	85176200
Country of origin	DE



https://www.phoenixcontact.com/pc/products/2989213



Technical data

Interfaces

Ethernet		
Connection method	RJ45	
Transmission speed	10/100 Mbps	
Transmission physics	Ethernet in RJ45 twisted pair	
Signal LEDs	WAN link, WAN activity, LAN link, LAN activity	
No. of channels	2	

System properties

onality

Basic functions	Firewall/Router
System requirements	
Supported browsers	HTTPS support required

Product properties

Product type	Security routers without DIN rail mounting	
Format	PCI	
Insulation characteristics		
Protection class	III (IEC 61140, EN 61140, VDE 0140-1)	

Electrical properties

Local diagnostics	One LED per port Activity LED red
	One LED per port Link active Green LED
Supply	
Power supply connection	Via PCI bus

Connection data

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP00
Ambient temperature (operation)	0 °C 70 °C
Permissible humidity (operation)	20 % 90 % (non-condensing)

Mounting

Mounting type	PCI slot

EMC data



2989213

https://www.phoenixcontact.com/pc/products/2989213

	Electromagnetic compatibility	Conformance with EMC Directive 2004/108/EC
Signaling		
	Status display	Link/activity per port



https://www.phoenixcontact.com/pc/products/2989213



Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)

No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com