


PRODUCT-DETAILS

JSHD4-4-AB

JSHD4-4-AB Enabling Switch



General Information

Extended Product Type	JSHD4-4-AB
Product ID	2TLA019995R2400
EAN	7350024453584
Catalog Description	JSHD4-4-AB Enabling Switch
Long Description	Three-position device. Top part with LEDs and front button. Bottom part with Cannon connector.

Additional Information

Product Name	Three-position handheld device - Complete
Sub-Function	1 front auxiliary button
Status Indicator	Yes

Safety Information

Performance Level (PL)	Up to e
------------------------	---------

Technical

Communication Interface	Contacts
Connection Configuration	Cannon 12 male pins

Environmental

Degree of Protection	IP65
Ambient Air Temperature	Operation -10 ... +70 °C

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172072M0201

Certificates and Declarations (Document Number)

CSA Certificate	2TLC172086D0201
Declaration of Conformity - CE	2TLC172022D0201
Instructions and Manuals	2TLC172072M0201
SEMKO Certificate	2TLC172032D0201

Dimensions

Product Net Width	34 mm
Product Net Depth / Length	60 mm
Product Net Height	200 mm
Product Net Weight	0.338 kg

Ordering

Minimum Order Quantity	1 piece
Country of Origin	Sweden (SE)
Customs Tariff Number	85369095

Classifications

Object Classification Code	B
ETIM 6	EC002571 - Agreement switch
ETIM 7	EC002571 - Agreement switch
eClass	V11.0 : 27371238

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices

