

KSSI 2-8 - Short-circuit connector



3000722

<https://www.phoenixcontact.com/sg/products/3000722>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Short-circuit connector, pitch: 8 mm, number of positions: 2, length: 11 mm, color: black

Commercial data

Item number	3000722
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	0129*
Product key	BE1Z3X
Catalog page	Page 117 (C-1-2019)
GTIN	4017918107116
Weight per piece (including packing)	12.57 g
Weight per piece (excluding packing)	12.37 g
Customs tariff number	85366990
Country of origin	PL

KSSI 2-8 - Short-circuit connector



3000722

<https://www.phoenixcontact.com/sg/products/3000722>

Technical data

Product properties

Product type	Short-circuit connector
Number of positions	2
Pitch	8 mm

Dimensions

Width	16.2 mm
Height	43.6 mm
Length	11 mm
Pitch	8 mm

Material specifications

Color	black
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Mounting

Mounting type	Plug-in mounting
---------------	------------------

KSSI 2-8 - Short-circuit connector



3000722

<https://www.phoenixcontact.com/sg/products/3000722>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

KSSI 2-8 - Short-circuit connector



3000722

<https://www.phoenixcontact.com/sg/products/3000722>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT SEA Pte. Ltd.
105 Eunos Avenue 3, #04-00
Singapore 409836
+65 6228 4900
marketing@phoenixcontact.com.sg