

PS-UK 2,5 B/Z-5 - Test plug

3001226

<https://www.phoenixcontact.com/in/products/3001226>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Test plug, number of positions: 1, color: red

Your advantages

- The test plug reliably makes contact in the bridge shaft and in all test sockets with a 2.3 mm or 4 mm diameter
- Individual test adapters can be combined using the modular PS-...2,3MM test plug.

Commercial data

Item number	3001226
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BE1
Product key	BE1Z3X
Catalog page	Page 410 (C-1-2019)
GTIN	4017918107185
Weight per piece (including packing)	49.4 g
Weight per piece (excluding packing)	28.8 g
Customs tariff number	85366990
Country of origin	PL

PS-UK 2,5 B/Z-5 - Test plug

3001226

<https://www.phoenixcontact.com/in/products/3001226>



Technical data


Product properties

Product type	Test plug terminal block
Number of positions	1
Pitch	5.2 mm

Connection data

Connection method	Spring-cage connection
-------------------	------------------------

Dimensions

Dimensional drawing	
Width	5 mm
Pitch	5.2 mm

Material specifications

Color	red
Material	PA
Flammability rating according to UL 94	V2

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-40 °C ... 115 °C

Mounting

Connection method	Spring-cage connection
-------------------	------------------------

PS-UK 2,5 B/Z-5 - Test plug


3001226

<https://www.phoenixcontact.com/in/products/3001226>



Drawings

Dimensional drawing



PS-UK 2,5 B/Z-5 - Test plug

3001226

<https://www.phoenixcontact.com/in/products/3001226>



Classifications

ECLASS

ECLASS-11.0	27440313
-------------	----------

UNSPSC

UNSPSC 21.0	39121410
-------------	----------

PS-UK 2,5 B/Z-5 - Test plug

3001226

<https://www.phoenixcontact.com/in/products/3001226>



Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in