

https://www.phoenixcontact.com/us/products/3001239



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Test plug, number of positions: 1, color: red

Your advantages

- The test plug reliably makes contact in the bridge shaft and in all test sockets with a 2.3 mm or 4 mm diameter
- Individual test adapters can be combined using the modular PS-...2,3MM test plug.

Commercial data

| Item number | 3001239 |
|--------------------------------------|--------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | BE19 |
| Product key | BE1Z3X |
| Catalog page | Page 410 (C-1-2019) |
| GTIN | 4017918089856 |
| Weight per piece (including packing) | 51.7 g |
| Weight per piece (excluding packing) | 50 g |
| Customs tariff number | 85366990 |
| Country of origin | PL |



https://www.phoenixcontact.com/us/products/3001239



Technical data


Product properties

| Product type | Test plug terminal block |
|---------------------|--------------------------|
| Number of positions | 1 |
| Pitch | 6.2 mm |

Connection data

| Connection method | Spring-cage connection |
|-------------------|------------------------|
|-------------------|------------------------|

Dimensions



Material specifications

| Color | red |
|--|-----|
| Material | PA |
| Flammability rating according to UL 94 | V2 |

Environmental and real-life conditions

Ambient conditions

| Ambient temperature (operation) | -40 °C 115 °C |
|---------------------------------|---------------|
| ransion temperature (operation) | 10 0 110 0 |

Mounting

| Connection method | Spring-cage connection |
|-------------------|------------------------|
| | apring angularing |


3001239


https://www.phoenixcontact.com/us/products/3001239



Drawings

Dimensional drawing







https://www.phoenixcontact.com/us/products/3001239



Classifications

ECLASS

| | ECLASS-11.0 | 27440313 |
|--------|-------------|----------|
| UNSPSC | | |
| | UNSPSC 21.0 | 39121410 |

3001239

https://www.phoenixcontact.com/us/products/3001239



Environmental product compliance

| China RoHS | Environmentally Friendly Use Period = 50 years |
|------------|--|
| | For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads" |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com