

https://www.phoenixcontact.com/pc/products/3001592



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 4, color: red

Commercial data

Item number	3001592
Packing unit	50 pc
Minimum order quantity	50 pc
Product key	BE2Z2X
Catalog page	Page 70 (C-1-2019)
GTIN	4046356890847
Weight per piece (including packing)	1.694 g
Weight per piece (excluding packing)	1.584 g
Customs tariff number	85366990
Country of origin	CN



https://www.phoenixcontact.com/pc/products/3001592



Technical data

Product properties

Product type	Jumper
Number of positions	4
Pitch	5.2 mm

Electrical properties

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Connection data

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Dimensions

Pitch	5.2 mm
	0.2

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting


3001592

https://www.phoenixcontact.com/pc/products/3001592



Drawings

Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



https://www.phoenixcontact.com/pc/products/3001592



Classifications

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ET	IM	
	ETIM 9.0	EC000489

UNSPSC

3001592

https://www.phoenixcontact.com/pc/products/3001592



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com