

FBSTB 10-ZDIK RD - Plug-in bridge



3006551

<https://www.phoenixcontact.com/pc/products/3006551>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plug-in bridge, pitch: 5.2 mm, number of positions: 10, color: red



Commercial data

Item number	3006551
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BE2Z2X
Catalog page	Page 150 (CL-2005)
GTIN	4017918147068
Weight per piece (including packing)	4.297 g
Weight per piece (excluding packing)	4.01 g
Customs tariff number	85366990
Country of origin	PL

FBSTB 10-ZDIK RD - Plug-in bridge



3006551

<https://www.phoenixcontact.com/pc/products/3006551>

Technical data

Product properties

Product type	Plug-in bridge
Number of positions	10
Pitch	5.2 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Dimensions

Pitch	5.2 mm
-------	--------

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting
---------------	------------------

FBSTB 10-ZDIK RD - Plug-in bridge



3006551

<https://www.phoenixcontact.com/pc/products/3006551>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com