3009338

https://www.phoenixcontact.com/lt/products/3009338

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 12 mm, number of positions: 80, color: gray

### Commercial data

Item number	3009338
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BE1
Product key	BE1Z2X
Catalog page	Page 392 (CL-2007)
GTIN	4017918091781
Weight per piece (including packing)	150 g
Weight per piece (excluding packing)	150 g
Customs tariff number	85389099
Country of origin	DE

3009338

https://www.phoenixcontact.com/lt/products/3009338



### Technical data

#### Product properties

Product type	Insertion bridge
Number of positions	80
Pitch	12 mm
Potentials	80

#### Dimensions

Pitch	12 mm

#### Material specifications

Color	gray
Material	Copper
Flammability rating according to UL 94	V2
Insulating material	PA

#### Mounting

3009338

https://www.phoenixcontact.com/lt/products/3009338



### Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

#### ETIM

	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400

3009338 https://www.phoenixcontact.com/lt/products/3009338



### Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact UAB Svitrigailos str. 11B 03228 Vilnius +370 5 2106321 balticinfo@phoenixcontact.com