

3009354

https://www.phoenixcontact.com/us/products/3009354

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insertion bridge, pitch: 27 mm, number of positions: 36, color: gray

### Commercial data

Item number	3009354
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BE19
Product key	BE1Z2X
Catalog page	Page 468 (C-1-2017)
GTIN	4017918091804
Weight per piece (including packing)	625 g
Weight per piece (excluding packing)	625 g
Customs tariff number	85366990
Country of origin	DE

3009354

https://www.phoenixcontact.com/us/products/3009354



### Technical data

### Product properties

	ertion bridge
Number of positions 36	
Pitch 27 n	nm

### Dimensions

Pitch	27 mm

### Material specifications

Color	gray (RAL 7042)
Material	Copper
Insulating material	PA

### Mounting

Mounting type	Screw mounting
	, and the second s

3009354

https://www.phoenixcontact.com/us/products/3009354



## Classifications

### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

### ETIM

	ETIM 9.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400

3009354

https://www.phoenixcontact.com/us/products/3009354

## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com

