

https://www.phoenixcontact.com/sg/products/3030118



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 4.2 mm, number of positions: 2, color: gray

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial data

Item number	3030118
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	****
Product key	BE2Z2X
Catalog page	Page 403 (C-1-2019)
GTIN	4046356661782
Weight per piece (including packing)	1.215 g
Weight per piece (excluding packing)	1 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/sg/products/3030118



Technical data

Product properties

Product type	Jumper
Number of positions	2
Pitch	4.2 mm

Electrical properties

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Connection data

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Dimensions

Material specifications

Color	gray
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting


3030118

https://www.phoenixcontact.com/sg/products/3030118



Drawings

Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



https://www.phoenixcontact.com/sg/products/3030118



Classifications

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ET	TIM	
	ETIM 9.0	EC000489

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

3030118

https://www.phoenixcontact.com/sg/products/3030118



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT SEA Pte. Ltd. 105 Eunos Avenue 3, #04-00 Singapore 409836 +65 6228 4900 marketing@phoenixcontact.com.sg