

https://www.phoenixcontact.com/lt/products/3030160



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 4.2 mm, number of positions: 10, color: gray

## Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

#### Commercial data

Item number	3030160
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE2
Product key	BE2Z2X
Catalog page	Page 403 (C-1-2019)
GTIN	4046356661737
Weight per piece (including packing)	6.36 g
Weight per piece (excluding packing)	6.36 g
Customs tariff number	85389099
Country of origin	DE



https://www.phoenixcontact.com/lt/products/3030160



## Technical data

#### Product properties

Product type	Jumper
Number of positions	10
Pitch	4.2 mm

#### Electrical properties

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

#### Connection data

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

#### **Dimensions**

#### Material specifications

Color	gray
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

#### Mounting

Mounting type	Plug-in mounting
7 7	The state of the s


3030160

https://www.phoenixcontact.com/lt/products/3030160



## Drawings

#### Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



https://www.phoenixcontact.com/lt/products/3030160



## Classifications

#### **ECLASS**

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 9.0	EC000489

#### **UNSPSC**

UNSPSC 21.0	39121400
-------------	----------

3030160

https://www.phoenixcontact.com/lt/products/3030160



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact UAB Svitrigailos str. 11B 03228 Vilnius +370 5 2106321 balticinfo@phoenixcontact.com