3030226

https://www.phoenixcontact.com/pc/products/3030226



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 20, color: red

### Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

#### Commercial data

Item number	3030226
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE2Z2X
Catalog page	Page 70 (C-1-2019)
GTIN	4017918188559
Weight per piece (including packing)	17.48 g
Weight per piece (excluding packing)	17 g
Customs tariff number	85366990
Country of origin	DE

3030226

https://www.phoenixcontact.com/pc/products/3030226



## Technical data


#### Product properties

Product type	Jumper
Number of positions	20
Pitch	5.2 mm
electrical properties	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Connection data	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
Dimensions	
Pitch	5.2 mm
Naterial specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	VO
Insulating material	PA
Nounting	
•• • •	

Mounting type	Plug-in mounting

3030226 https://www.phoenixcontact.com/pc/products/3030226

## Drawings



Schematic diagram



3030226

https://www.phoenixcontact.com/pc/products/3030226



## Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

#### ETIM

	ETIM 9.0	EC000489
UN	ISPSC	
	UNSPSC 21.0	39121400

3030226

https://www.phoenixcontact.com/pc/products/3030226



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%
EF3.0 Climate Change	
CO2e kg	0.079 kg CO2e

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com