# FBS 1/5-5 - Plug-in bridge

3030367

https://www.phoenixcontact.com/sg/products/3030367

**PHŒNIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 5, pin assignment: 1,5, color: red

### Commercial data

Item number	3030367
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	****
Product key	BE2Z2X
GTIN	4046356706056
Weight per piece (including packing)	3.14 g
Weight per piece (excluding packing)	3.084 g
Customs tariff number	85366990
Country of origin	PL

# FBS 1/5-5 - Plug-in bridge

3030367

https://www.phoenixcontact.com/sg/products/3030367



## Technical data

### Product properties

Product type	Jumper
Number of positions	5
Pitch	5.2 mm
lectrical properties	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
connection data	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
imensions	
Pitch	5.2 mm
laterial specifications	
Color	red
Material	Copper
Flammability rating according to UL 94	VO
Insulating material	PA
Aechanical properties	
Technical data	
Pin assignment	1, 5
lounting	
Mounting type	Plug-in mounting

# FBS 1/5-5 - Plug-in bridge

3030367

https://www.phoenixcontact.com/sg/products/3030367



# Classifications

#### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

### ETIM

	ETIM 9.0	EC000489		
UN	UNSPSC			
	UNSPSC 21.0	39121400		



3030367

https://www.phoenixcontact.com/sg/products/3030367



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT SEA Pte. Ltd. 105 Eunos Avenue 3, #04-00 Singapore 409836 +65 6228 4900 marketing@phoenixcontact.com.sg