

# RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/pc/products/3030860>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Reducing bridge, pitch: 9 mm, number of positions: 2, length: 30 mm, color: red

## Commercial data

Item number	3030860
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE2Z2X
Catalog page	Page 117 (C-3-2013)
GTIN	4017918819248
Weight per piece (including packing)	3.68 g
Weight per piece (excluding packing)	3.6 g
Customs tariff number	85366990
Country of origin	PL

# RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/pc/products/3030860>

## Technical data

### Product properties

Product type	Reducing bridge
Number of positions	2
Pitch	9 mm

### Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

### Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

### Dimensions

Width	14.3 mm
Height	30 mm
Depth	3 mm
Length	30 mm
Pitch	9 mm

### Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA 66

### Mounting

Mounting type	Plug-in mounting
---------------	------------------

# RB ST 6-(2,5/4) - Reducing bridge

3030860

<https://www.phoenixcontact.com/pc/products/3030860>



## Classifications

### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

### ETIM

ETIM 9.0	EC000489
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/pc/products/3030860>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)