

https://www.phoenixcontact.com/sg/products/3033822



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, non-adjacent, pitch: 8.2 mm, number of positions: 16, pin assignment: 1, 6, 11, 14, color: red

Commercial data

Item number	3033822
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	****
Product key	BE2Z2X
GTIN	4046356862035
Weight per piece (including packing)	12.98 g
Weight per piece (excluding packing)	9.99 g
Customs tariff number	85366990
Country of origin	CN



https://www.phoenixcontact.com/sg/products/3033822



Technical data

Product properties

Product type	Jumper
Number of positions	16
Pitch	8.2 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used
	in different modular terminal blocks. The precise values can be
	found in the accessories data for the respective modular terminal
	blocks.)

Dimensions

Width	129.5 mm
Height	30 mm
Depth	30 mm
Pitch	8.2 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mechanical properties

Technical data

Pin assignment	1, 6, 11, 14
----------------	--------------

Mounting

-	
Mounting type	Plug-in mounting



https://www.phoenixcontact.com/sg/products/3033822



Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ET	IM	
	ETIM 9.0	EC000489
UN	ISPSC	

39121400



https://www.phoenixcontact.com/sg/products/3033822



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT SEA Pte. Ltd. 105 Eunos Avenue 3, #04-00 Singapore 409836 +65 6228 4900 marketing@phoenixcontact.com.sg