

# SBP 6-T 3-8 - Switching jumper



3070322

<https://www.phoenixcontact.com/it/products/3070322>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Switching jumper, with test socket, pitch: 8.2 mm, number of positions: 3, color: orange

## Commercial data

Item number	3070322
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE1
Product key	BE1Z2X
Catalog page	Page 520 (C-1-2019)
GTIN	4046356750677
Weight per piece (including packing)	19.64 g
Weight per piece (excluding packing)	11.55 g
Customs tariff number	85389099
Country of origin	PL

# SBP 6-T 3-8 - Switching jumper

3070322

<https://www.phoenixcontact.com/it/products/3070322>



## Technical data

### Product properties

Product type	Switching jumper
Number of positions	3
Pitch	8.2 mm

### Dimensions

Pitch	8.2 mm
-------	--------

### Material specifications

Color	orange
Material	Copper
Insulating material	PA

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

### Mounting

Mounting type	Plug-in mounting
---------------	------------------

# SBP 6-T 3-8 - Switching jumper



3070322

<https://www.phoenixcontact.com/it/products/3070322>

## Classifications

### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

### ETIM

ETIM 9.0	EC000489
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# SBP 6-T 3-8 - Switching jumper



3070322

<https://www.phoenixcontact.com/lt/products/3070322>

## Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact UAB  
Svitrigailos str. 11B  
03228 Vilnius  
+370 5 2106321  
[balticinfo@phoenixcontact.com](mailto:balticinfo@phoenixcontact.com)