

A 0,5 - 8 - Ferrule



3202481

<https://www.phoenixcontact.com/ca/products/3202481>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ferrule, color: silver

Commercial data

Item number	3202481
Packing unit	1,000 pc
Minimum order quantity	1,000 pc
Sales key	BH34
Product key	BH3412
Catalog page	Page 480 (C-3-2019)
GTIN	4017918157197
Weight per piece (including packing)	0.041 g
Weight per piece (excluding packing)	0.041 g
Customs tariff number	85369010
Country of origin	DE

A 0,5 - 8 - Ferrule



3202481

<https://www.phoenixcontact.com/ca/products/3202481>

Technical data

Notes

General	These ferrules are not included in DIN 46228-1: 1992-08
---------	---


Product properties

Product type	Cable end sleeve
Conductor category	stranded conductors, class 2, 5, 6 / B, C, K, M

Connection data

Conductor connection	
Conductor cross section flexible max.	0.5 mm²
Conductor cross section AWG max.	20
Stripping length	8 mm

Dimensions

Dimensional drawing	
Maximum stripping length	8 mm
Ferrule diameter	1 mm
Sleeve wall thickness	0.15 mm
Inner dimensions of the insulating collar	2.1 mm

Material specifications

Color	silver
Material	CU-DHP
Coating	tin-plated (galvanic)

Environmental and real-life conditions

Ambient conditions	
Permanent temperature	105 °C
Short-term temperature	120 °C

A 0,5 - 8 - Ferrule


3202481

<https://www.phoenixcontact.com/ca/products/3202481>



Drawings

Dimensional drawing



Sleeve length (b), insulating collar inner dimension (d), sleeve diameter (k), sleeve wall thickness (j)

A 0,5 - 8 - Ferrule

3202481

<https://www.phoenixcontact.com/ca/products/3202481>



Approvals

 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/ca/products/3202481>



cULus Listed

Approval ID: E488001

A 0,5 - 8 - Ferrule



3202481

<https://www.phoenixcontact.com/ca/products/3202481>

Classifications

ECLASS

ECLASS-11.0	27400201
ECLASS-12.0	27400201
ECLASS-13.0	27400201

ETIM

ETIM 9.0	EC000005
----------	----------

UNSPSC

UNSPSC 21.0	27121700
-------------	----------

A 0,5 - 8 - Ferrule



3202481
<https://www.phoenixcontact.com/ca/products/3202481>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
8240 Parkhill Drive
Milton, Ontario L9T 5V7
1-800-890-2820
cdinfo@phoenixcontact.ca