

CD WR - Universal wire retaining clip



3240284

<https://www.phoenixcontact.com/pc/products/3240284>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Universal wire holding bracket, perforated, for wiring channels

Commercial data

Item number	3240284
Packing unit	50 pc
Minimum order quantity	50 pc
Product key	BE743Z
Catalog page	Page 581 (C-3-2019)
GTIN	4046356478472
Weight per piece (including packing)	8.188 g
Weight per piece (excluding packing)	5.72 g
Customs tariff number	39269097
Country of origin	DE

CD WR - Universal wire retaining clip



3240284

<https://www.phoenixcontact.com/pc/products/3240284>

Technical data

Product properties

Product type	Wiring duct
--------------	-------------

Dimensions

Width	81.6 mm
Height	36 mm
Depth	32.5 mm
Length	36 mm

Material specifications

Color	black
Material	Polystyrene (PS)
Components	Lead-free

Cable/line

Halogen-free	yes
--------------	-----

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-5 °C ... 60 °C

CD WR - Universal wire retaining clip



3240284

<https://www.phoenixcontact.com/pc/products/3240284>

Classifications

ECLASS

ECLASS-11.0	27400765
ECLASS-12.0	27400765
ECLASS-13.0	27400765

ETIM

ETIM 9.0	EC001018
----------	----------

UNSPSC

UNSPSC 21.0	31163000
-------------	----------

CD WR - Universal wire retaining clip



3240284

<https://www.phoenixcontact.com/pc/products/3240284>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com