


# CD COVER 25 BU - Cover profile

3240330

<https://www.phoenixcontact.com/be/products/3240330>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cover for cable duct, blue, width: 25 mm, length: 2000 mm

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 3240330             |
| Packing unit                         | 14 pc               |
| Minimum order quantity               | 14 pc               |
| Sales key                            | BE7432              |
| Product key                          | BE7432              |
| Catalog page                         | Page 555 (C-5-2015) |
| GTIN                                 | 4046356508100       |
| Weight per piece (including packing) | 250 g               |
| Weight per piece (excluding packing) | 250 g               |
| Customs tariff number                | 39259020            |
| Country of origin                    | DE                  |

# CD COVER 25 BU - Cover profile

3240330

<https://www.phoenixcontact.com/be/products/3240330>



## Technical data

### Product properties

|              |       |
|--------------|-------|
| Product type | Cover |
|--------------|-------|

### Dimensions

|        |         |
|--------|---------|
| Width  | 25 mm   |
| Height | 2000 mm |
| Depth  | 14.4 mm |
| Length | 2000 mm |

### Material specifications

|                                        |           |
|----------------------------------------|-----------|
| Color                                  | blue      |
| Material                               | PVC       |
| Flammability rating according to UL 94 | V0        |
| Components                             | Lead-free |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                 |
|---------------------------------|-----------------|
| Ambient temperature (operation) | -5 °C ... 60 °C |
|---------------------------------|-----------------|

# CD COVER 25 BU - Cover profile

3240330

<https://www.phoenixcontact.com/be/products/3240330>



## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/be/products/3240330>



**EAC**

Approval ID: RU C-DE.PB68.W.00478

# CD COVER 25 BU - Cover profile



3240330

<https://www.phoenixcontact.com/be/products/3240330>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27400776 |
| ECLASS-13.0 | 27400776 |
| ECLASS-12.0 | 27400776 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC000727 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39131700 |
|-------------|----------|

# CD COVER 25 BU - Cover profile



3240330

<https://www.phoenixcontact.com/be/products/3240330>

## Environmental product compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT nv/sa  
Minervastraat 10-12  
1930 Zaventem-Keiberg II  
+32 (0)2/723 98 11  
[info@phoenixcontact.be](mailto:info@phoenixcontact.be)