

SCBI 10-8,15 - Screw bridge



3245134

<https://www.phoenixcontact.com/pc/products/3245134>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screw bridge, with insulating collar, pitch: 8.2 mm, number of positions: 10, color: silver

Commercial data

Item number	3245134
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE1Z2X
Catalog page	Page 117 (C-1-2019)
GTIN	4046356574211
Weight per piece (including packing)	22.43 g
Weight per piece (excluding packing)	21.75 g
Customs tariff number	85369095
Country of origin	IN

SCBI 10-8,15 - Screw bridge

3245134

<https://www.phoenixcontact.com/pc/products/3245134>



Technical data

Product properties

Product type	Screw bridge
Number of positions	10
Pitch	8.2 mm

Electrical properties

Maximum load current	24 A
----------------------	------

Connection data

Maximum load current	24 A
----------------------	------

Dimensions

Pitch	8.2 mm
-------	--------

Material specifications

Color	silver
Material	Copper

Mounting

Mounting type	Screw mounting
---------------	----------------

SCBI 10-8,15 - Screw bridge



3245134

<https://www.phoenixcontact.com/pc/products/3245134>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SCBI 10-8,15 - Screw bridge



3245134

<https://www.phoenixcontact.com/pc/products/3245134>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com